

T 5 N, R 13 W, S. B. M.

- East On a random line between Sections 13 & 24
Variation 14°21' E.
- 40.00 Set a post for temporary quarter section corner
Intersect the East boundary of the Township 55 links
North of the corner to Sections 13 & 24 from which corner
I run
-
- West On a true line between Sections 13 & 24
Variation 13°48' E.
- 40.21 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
- 80.42 The corner to Sections 13, 14, 23 & 24.
Land level. Sandy Soil. Sage bushes and grass.
-
- North Between Sections 13 & 14.
Variation 14°12' E.
- 40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
- 80.00 Set a post charred, chalked and notched for the corner to
Sections 11, 12, 13, 14 and raised a mound with trench
and pits as per instructions.
Land level. Clay soil and 2nd rate.
-
- East On a random line between Sections 12 & 13.
Variation 14°12' E.
- 40.00 Set a post for temporary quarter section corner
- 80.10 Intersect the East boundary of the Township 44 links
North of the corner to Sections 12 & 13, from which
corner I run
-
- West On a true line between Sections 12 & 13
Variation 13°53' E.
- 40.05 Set a post charred and chalked for the quarter section
corner, and raised a mound with trench and pits, as per
instructions.
- 80.10 The corner to Sections 11, 12, 13, 14.
Land level. Sandy soil and 3rd rate.
-
- North Between Sections 11 & 12.
Variation 14°12' E.
- 40.00 Set a post charred and chalked for the quarter section
corner and raised a mound in the trench and pits as per
instructions.
- 80.00 Set a post, charred, chalked and notched for the corner
to Sections 1, 2, 11, 12 and raised a mound with trench
and pits as per instructions.
Land level. Soil sandy and 2nd rate.
-
- East On a random line between Sections 1 & 12.
Variation 14°12' E.

T 8 N, R. 13 W, S. B. M.

40.00 Set a post for temporary quarter section corner
 79.90 Intersect the East boundary of the Township 56 links
 North of the corner to Sections 1 & 12 from which corner
 I run

West On a true line between Sections 1 & 12
 Variation 13°45' E.

39.93 Set a post charred and chalked for the quarter section corner
 and raised a mound with trench and pits, as per instructions.
 79.90 The corner to Sections 1, 2, 11, 12
 Land level and 3rd rate

North On a random line between Sections 1 & 2
 Variation 14°12' E.

40.00 Set a post for temporary quarter section corner
 79.50 Intersect the North boundary of the Township, 9 links
 West of the corner to Sections 1 & 2 from which corner
 I run

South On a true line between Sections 1 & 2
 Variation 11°08' E.

39.50 Set a post charred and chalked for the quarter section
 corner and raised a mound in the trench and pits, as per
 instructions.
 79.50 The corner to Sections 1, 2, 11, 12.
 Land level and generally 3rd rate.

North Between Sections 34 & 35
 Variation 14°12' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner
 to Sections 26, 27, 34, 35, and raised a mound with
 trench and pits, as per instructions.
 Land level. Clay soil. 2nd rate with thick sage.

East On a random line between Sections 26 and 35.
 Variation 14°12' E.

40.00 Set a post for temporary quarter section corner.
 80.00 Intersect North and South line 10 links North of the
 corner to Sections 25, 26, 35, 36, from which corner
 I run

West On a true line between Sections 26 & 35
 Variation 14°08' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.00 The corner to Sections 26, 27, 34, 35.
 Land level. Clay soil and 2nd rate.

North Between Sections 26 & 27
 Variation 14°12' E.

40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner to
 Sections 22, 23, 26, 27, and raised a mound with trench
 and pits, as per instructions.
 Land level and generally 3rd rate.

T. 8 N., R. 13 W., S. B. M.

East On a random line between Sections 23 & 26
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
79.87 Intersect N & S line 17 links North of the corner to
Sections 23, 24, 25, 26 from which corner
I run

West On a true line between Sections 23 & 26
Variation 14°05' E.
39.93 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions.
79.87 The corner to Sections 22, 23, 26 and 27
Land level and generally 3rd rate.

North Between Sections 22 & 23
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per instructions
80.00 Set a post charred, chalked and notched, for the corner to
Sections 14, 15, 22, 23 and raised a mound with trench and pits
as per instructions.
Land level. Soil sandy, and generally 3rd rate.

East On a random line between Sections 14 & 23
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
80.14 Intersect N & S lines 6 links South of the corner to
Sections 13, 14, 23, 24 from which corner
I run

West On a true line between Sections 14 & 23
Variation 14°15' E.
40.07 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions
80.14 The corner to Sections 14, 15, 22, 23
Land level. Sandy soil and 3rd rate.

North Between Sections 14 & 15
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section corner
and raised a mound with trench and pits, as per instructions.
80.00 Set a post charred, chalked and notched for the corner to
Sections 10, 11, 14, 15, and raised a mound with trench
and pits, as per instructions.
Land level and generally 2nd rate.

T. 8 N., R. 13 W., S. B. M.

40.00
79.74

Set a post for temporary quarter section corner.
Intersect N & S line 30 links South of the corner to
Section 14, 15, 22, 23 from which corner
I run

West

On a true line between Sections 15 & 22.

Variation 14°25' E.

39.87

Set a charred post for the quarter section corner and
raised a mound with trench and pits as per instructions.
The corner to Sections 15, 16, 21, 22.
Land level and sandy and generally 3rd rate.

79.74

North

Between Sections 15 & 16.

Variation 14°12' E.

40.00

Set a charred post for the quarter section corner, and
raised a mound with trench and pits, as per instructions.

80.00

Set a post charred and notched for the corner to Sections
9, 10, 15, 16 and raised a mound with trench and pits,
as per instructions.
Land level and generally 3rd rate.

East

On a random line between Sections 10 & 15.

Variation 14°12' E.

40.00

Set a post for temporary quarter section corner.

79.59

Intersect N. & S. line 15 links South of the corner to
Sections 10, 11, 14, 15 from which corner
I run

West

On a true line between Sections 10 & 15.

Variation 14°15' E.

39.79

Set a charred post for the quarter section corner and
raised a mound with trench and pits as per instructions.

79.59

The corner to Sections 9, 10, 15, 16.
Land generally 2nd rate and level.

North

Between Sections 9 & 10.

Variation 14°12' E.

40.00

Set a charred post for the quarter section corner, and
raised a mound with trench and pits, as per instructions.

80.00

Set a post charred and notched for the corner to Sections
3, 4, 9, 10 and raised a mound with trench and pits, as
per instructions.

Land level. Sandy and generally 3rd rate.

East

On a random line between Sections 3 & 10.

Variation 14°12' E.

40.00

Set a post for temporary quarter section corner.

79.70

Intersect N & S line 25 links South of the corner to
Sections 2, 3, 10, 11 from which corner
I run

West

On a true line between Sections 3 & 10.

Variation 14°23' E.

39.85

Set a charred post for the quarter section corner, and
raised a mound with trench and pits as per instructions.

79.70

The corner to Sections 3, 4, 9, 10.
Land 3rd rate and level.

T. 5 N., R. 13 W., S. B. M.

North On a random line between Sections 3 & 4.
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
50.00 Intersect the North boundary of the Township 13 links
West of the corner to Sections 3 and 4 from which corner
I run

South On a true line between Sections 3 & 4.
Variation 14° 18' E.
40.00 Set a charred post for the quarter section corner and
raised a mound with trench and pits, as per instructions.
50.00 The corner to Sections 3, 4, 9, 10.
Land level and generally 3rd rate.

North Between Sections 32 & 33.
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
50.00 Set a post charred, chalked and notched for the corner
to Sections 28, 29, 32 & 33, and raised a mound with
trench and pits, as per instructions.
Land 2nd rate and level.

East On a random line between Sections 28 & 33
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
50.60 Intersect N & S line 40 links North of the corner to
Sections 27, 28, 33, 34, from which corner
I run

West On a true line between Sections 28 & 33
Variation 13°55' E.
40.30 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.60 The corner to Sections 28, 29, 32 & 33.
Land level and 2nd rate.

North Between Sections 28 & 29
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.00 Set a post charred, chalked and notched for the corner to
Sections 28, 29, 20, 21 and raised a mound with trench and
pits as per instructions.
Land level and 2nd rate.

East On a random line between Sections 21 & 28
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
50.54 Intersect N & S line 37 links North of the corner to
Sections 21, 22, 27 & 28 from which corner
I run

West On a true line between Sections 21 & 28
Variation 13°56' E.
40.27 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.54 The corner to Sections 20, 21, 28 & 29.
Land 2nd rate and level.

T. 8 N., R. 13 W., S. E. M.

North Between Sections 20 & 21 Variation 14*12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench & pits as per in-
structions.
50.00 Set a post charred and chalked & notched for the corner
to Sections 16, 17, 20 & 21 and raised a mound with trench
and pits as per instructions.
Land level and 2nd rate.

East On a random line between Sections 16 & 21 Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.90 Intersect N & S line 10 links North of the corner to
Sections 15, 16, 21, 22 from which corner
I run

West On a true line between Sections 16 & 21 Variation 14*05' E.
40.45 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.90 The corner to Sections 16, 17, 20, 21.
Land level and 2nd rate.

North Between Sections 16 & 17. Variation 14*12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
50.00 Set a post charred, chalked and notched for the corner to
Sections 8, 9, 16, 17 and raised a mound with trench and
pits as instructed.
Land 2nd rate and level.

East On a random line between Sections 9 & 16 Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.86 Intersect N & S line 14 links North of the corner to
Sections 9, 10, 15, 16, from which corner
I run

West On a true line between Sections 9 & 16 Variation 14*06' E.
40.43 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.86 The corner to Sections 8, 9, 16, 17
Land level and 2nd rate.

North Between Sections 8 & 9 Variation 14*12' E.
40.00 Set a post for the quarter section corner, charred and
chalked and raised a mound with trench & pits as instructed
50.00 Set a post charred, chalked and notched for the corner to
Sections 4, 5, 8, 9 and raised a mound with trench and pits
as per instructions.
Land 2nd rate and level.

East On a random line between Sections 4 & 9. Variation 14*12' E.
40.00 Set a post for temporary quarter section corner.
50.92 Intersect N & S line 23 links North of the corner to
Sections 3, 4, 9, 10 from which corner
I run

T. 8 N., R. 13 W., S. B. M.

- West On a true line between Sections 4 & 9
Variation 14°02' E.
40.06 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.92 The corner to Sections 4, 5, 8, 9
Land level and 2nd rate.
-
- North On a random line between Sections 4 & 5
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
80.50 Intersect the North boundary of the Township 70 links West of the corner to Sections 4 & 5, from which corner I run
-
- South On a true line between Sections 4 & 5
Variation 13°42' E.
40.50 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.50 The corner to Sections 4, 5, 8, 9.
Land 2nd rate and level.
-
- North Between Sections 31 & 32
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
80.00 Set a post charred and chalked and notched for the corner to Sections 29, 30, 31, 32 and raised a mound with trench and pits as per instructions.
Land level. Soil sandy and 2nd rate, with thick sage.
-
- East On a random line between Sections 29 and 32
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
80.19 Intersect N. & S line 25 links North of the corner to Sections 28, 29, 32, 33 from which corner I run
-
- West On a true line between Sections 29 and 32
Variation 14°01' E.
40.09 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits as per instructions.
80.19 The corner to sections 29, 30, 31, 32.
Land level. Sandy and 2nd rate.
-
- West On a random line between Sections 30 & 31
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
78.99 Intersect the West boundary of the Township, 25 links South of the corner to Sections 30 & 31 from which corner I run
-
- East On a true line between Sections 30 & 31
Variation 14°01' E.
38.99 Set a post charred and chalked for the quarter section corner and raised a mound with trench and pits, as per instructions.
78.99 The corner to Sections 29, 30, 31, 32
Land level and generally 2nd rate.
-

T. 8 N., R. 13 W., S. B. M.

North Between Sections 29 & 30 Variation 14°12' E.
 40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner
 to Sections 19, 20, 29, 30 and raised a mound with trench
 and pits as per instructions.
 Land level. Sandy soil and generally 3rd rate.

East On a random line between Sections 20 & 29 Variation 14°12' E.
 40.00 Set a post for temporary quarter section corner.
 80.33 Intersect N & S line 15 links North of the corner to
 sections 20, 21, 28, 29 from which corner
 I run

West On a true line between sections 20 & 29 Variation 14°06' E.
 40.16 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 80.33 The Corner to Sections 19, 20, 29, 30.
 Land level and generally 3rd rate.

West On a random line between Sections 19 & 30. Variation 14° 12' E.
 40.00 Set a post for temporary quarter section corner
 80.24 Intersect the west boundary of the Township 26 links South
 of the corner to Sections 19 & 30 from which corner I run

East On a true line between Sections 19 & 30. Variation 14°01' E.
 40.24 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.24 The corner to sections 19, 20, 29 & 30.
 Land level and 2nd rate.

North Between Sections 19 & 20 Variation 14°12' E.
 40.00 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits, as per
 instructions.
 80.00 Set a post charred, chalked and notched for the corner
 to Sections 17, 18, 19, 20 and raised a mound with
 trench and pits as per instructions.
 Land level and 3rd rate.

East On a random line between Sections 17 & 20. Variation 14°12' E.
 40.00 Set a post for temporary quarter section corner
 79.81 Intersect N & S Line 41 links North of the corner to
 sections 16, 17, 20, 21 from which corner I run west

West On a true line between Sections 17 & 20 Variation 13°54' E.
 39.90 Set a post charred and chalked for the quarter section
 corner and raised a mound with trench and pits as per
 instructions.
 79.88 The corner to sections 17, 18, 19, 20
 Land level and 3rd rate.

T. 8 N., R. 13 W., S. B. M.

West On a random line between Sections 18 & 19.
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
50.36 Intersect the west boundary of the Township, 36 links
South of the corner to Sections 18 & 19 from which corner
I run

East On a true line between Sections 18 & 19.
Variation 13°57' E.
40.36 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
50.36 The corner to 17, 18, 19, 20 Sections.
Land level and generally 2nd rate.

North Between Sections 17 & 18.
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
50.00 Set a post charred, chalked and notched for the corner
to Sections 7, 8, 17, 18, and raised a mound with trench
and pits as per instructions.
Land level and generally 3rd rate.

East On a random line between Section 8 & 17.
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
79.75 Intersect N & S line 19 links North of the corner to
Sections 8, 9, 16, 17 from which corner I run

West On a true line between Sections 8 & 17.
Variation 14°04' E.
39.87 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
79.75 The corner to Sections 7, 8, 17, 18.
Land level and soil generally 3rd rate.

West On a random line between Sections 7 & 18.
Variation 14° 12' E.
40.00 Set a post for temporary quarter section corner.
50.98 Intersect the West boundary of the Township, 48 links south
of the corner to Sections 7 & 18 from which corner I run

East On a true line between Sections 7 & 18.
Variation 13°51' E.
40.98 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as instructed
50.98 The corner to Sections 7, 8, 17, 18.
Land level and 3rd rate.

North Between Sections 7 & 8.
Variation 14°12' E.
40.00 Set a post charred and chalked for the quarter section
corner, and raised a mound with trench and pits, as per
instructions.
50.00 Set a post charred, chalked and notched for the corner to
Sections 5, 6, 7, 8, and raised a mound with trench and
pits as per instructions.
Land level and 3rd rate.

T. 5 N., R. 13 W., S. B. M.

- East On a random line between Sections 5 & 8
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner
79.62 Intersect N & S lines, 56 links North of the corner to
Sections 4, 5, 8, 9, from which corner I run

- West On a true line between Sections 5 & 8
Variation 13°48' E.
39.81 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits, as per
instructions.
79.62 The corner to Sections 5, 6, 7, 8.
Land level and 3rd rate.

- West On a random line between Sections 6 & 7.
Variation 14° 12' E.
40.00 Set a post for temporary quarter section corner.
81.90 Intersect the West boundary of the Township, 45 links
South of the corner to Sections 6 & 7 from which corner
I run

- East On a true line between Sections 6 & 7.
Variation 13°53' E.
41.90 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
81.90 The corner to Sections 5, 7, 8.
Land level and 3rd rate.

- North On a random line between Sections 5 & 6.
Variation 14°12' E.
40.00 Set a post for temporary quarter section corner.
80.77 Intersect the north boundary of the township, 85 links West
of the corner to Sections 5 & 6 from which corner
I run

- South On a true line between Sections 5 & 6.
Variation 13°36' E.
40.77 Set a post charred and chalked for the quarter section
corner and raised a mound with trench and pits as per
instructions.
80.77 The corner Sections 5, 6, 7, 8.
Land level and generally 2nd rate, with very thick sage
on this tier of sections.

T. 8 N., R. 13 W., S. 8. M.

General Description

This Township is adapted to grazing. There being large bodies of fine Bush Grass, and also much Pin Grass in this Township. There is a great deal of Sage upon the West side, which makes it very difficult to chain correctly.

W. S. Dodd,	Chairman
Charles E. Hutton,	Chairman
Solomon Bratton,	Arman
John Tyler,	Arman
William Holladay,	Compassman

We hereby certify that we assisted Ralph W. Morris, Deputy Surveyor in surveying the section lines in Township Eight North of the Base Line, of Range No. Thirteen West of the San Bernardino Meridian, and that said Township has been in all respects to the best of our knowledge and belief, well and faithfully surveyed and the boundary monuments planted according to the instructions furnished by the Surveyor General.

W. W. Dodd,	Chairman	Solomon Bratton,	Arman
Charles E. Hutton,	Chairman	John Tyler,	Arman
William Holladay,	Compassman		

Subscribed and sworn to before me, Los Angeles County, California,
December 3rd, 1855.

Ralph W. Morris, Deputy Surveyor